

Parkinson's Disease

The patient must meet at least one of the following criteria (1 or 2):

- 1. Severely impaired breathing capacity with all of the following findings:
 - Dyspnea at rest
 - Vital capacity less than 30%
 - The requirement of supplemental oxygen at rest
 - The patient declines artificial ventilation

OR

- 2. Rapid disease progression and either **a** or **b** below:
 - Progression from independent ambulation to wheelchair or bed-bound status
 - Progression from normal to barely intelligible or unintelligible speech
 - Progression from normal to pureed diet
 - Progression from independence in most or all Activities of Daily Living (ADL) to needing major assistance by caretaker in all ADLs
 - Progression of Dementia (often Lewy-Body type), now FAST score 7A (See Appendix
 3)

AND

- **a.** Severe nutritional impairment demonstrated by all of the following in the preceding twelve (12) months:
 - Oral intake of nutrients and fluids insufficient to sustain life
 - Continuing weight loss
 - Dehydration or hypovolemia
 - Absence of artificial feeing

OR

- **b.** Life-threatening complications demonstrated by one or more of the following in the preceding twelve (12) months:
 - Recurrent aspiration pneumonia (with or without tube feedings)
 - Upper urinary tract infection (e.g. pyelonephritis)
 - Sepsis
 - Recurrent fever after antibiotic therapy
 - Stage 3 or 4 decubitus ulcer(s)

In the absence of one or more of these findings, rapid decline or comorbidities may also support eligibility for hospice care.

(360) 814-5550 | www.HospiceNW.org 13